




PM-Series Pillar Mounted Jib Crane


1/2 Ton Capacity


Capacity (Pounds)	Model	Span	Height Overall	Beam Height	Flange Width	Unit Weight	
1,000	PM108-10	8'	10'	8"	5-1/4"	496#	
1,000	PM110-10	10'	10'	8"	5-1/4"	581#	
1,000	PM112-10	12'	10'	8"	5-1/4"	706#	
1,000	PM114-10	14'	10'	12"	6 1/2"	905#	
1,000	PM116-10	16'	10'	12"	6 1/2"	945#	
1,000	PM118-10	18'	10'	12"	6 1/2"	1,085#	
1,000	PM120-10	20'	10'	12"	6 1/2"	1,175#	
1,000	PM108-12	8'	12'	8"	5-1/4"	526#	
1,000	PM110-12	10'	12'	8"	5-1/4"	606#	
1,000	PM112-12	12'	12'	8"	5-1/4"	697#	
1,000	PM114-12	14'	12'	12"	6 1/2"	925#	
1,000	PM116-12	16'	12'	12"	6 1/2"	980#	
1,000	PM118-12	18'	12'	12"	6 1/2"	1,145#	
1,000	PM120-12	20'	12'	12"	6 1/2"	1,210#	
1,000	PM108-14	8'	14'	8"	5-1/4"	536#	
1,000	PM110-14	10'	14'	8"	5-1/4"	661#	
1,000	PM112-14	12'	14'	8"	5-1/4"	736#	
1,000	PM114-14	14'	14'	12"	6 1/2"	990#	
1,000	PM116-14	16'	14'	12"	6 1/2"	1,040#	
1,000	PM118-14	18'	14'	12"	6 1/2"	1,205#	
1,000	PM120-14	20'	14'	12"	6 1/2"	1,270#	
1,000	PM108-16	8'	16'	8"	5-1/4"	561#	
1,000	PM110-16	10'	16'	8"	5-1/4"	706#	
1,000	PM112-16	12'	16'	8"	5-1/4"	776#	
1,000	PM114-16	14'	16'	12"	6 1/2"	1,050#	
1,000	PM116-16	16'	16'	12"	6 1/2"	1,110#	
1,000	PM118-16	18'	16'	12"	6 1/2"	1,265#	
1,000	PM120-16	20'	16'	12"	6 1/2"	1,330#	

Contact sales for other heights and span lengths

NOTE:

- Includes (2) mounting plates and end stops. 7/8" diameter mounting bolts NOT included. Mounting is to be determined by others based on floor thickness and overhead structure to be mounted to. Bolts to be Grade 5 or better.






PM-Series Pillar Mounted Jib Crane 1 Ton Capacity

Capacity (Pounds)	Model	Span	Height Overall	Beam Height	Flange Width	Unit Weight	
2,000	PM208-10	8'	10'	8"	5-1/4"	566#	
2,000	PM210-10	10'	10'	12"	6 1/2"	770#	
2,000	PM212-10	12'	10'	12"	6 1/2"	820#	
2,000	PM214-10	14'	10'	12"	6 1/2"	960#	
2,000	PM216-10	16'	10'	12"	6 1/2"	1,025#	
2,000	PM218-10	18'	10'	16"	7"	1,390#	
2,000	PM220-10	20'	10'	16"	7"	1,490#	
2,000	PM208-12	8'	12'	8"	5-1/4"	606#	
2,000	PM210-12	10'	12'	12"	6 1/2"	810#	
2,000	PM212-12	12'	12'	12"	6 1/2"	870#	
2,000	PM214-12	14'	12'	12"	6 1/2"	1,020#	
2,000	PM216-12	16'	12'	12"	6 1/2"	1,080#	
2,000	PM218-12	18'	12'	16"	7"	1,445#	
2,000	PM220-12	20'	12'	16"	7"	1,530#	
2,000	PM208-14	8'	14'	8"	5-1/4"	641#	
2,000	PM210-14	10'	14'	12"	6 1/2"	870#	
2,000	PM212-14	12'	14'	12"	6 1/2"	920#	
2,000	PM214-14	14'	14'	12"	6 1/2"	1,090#	
2,000	PM216-14	16'	14'	12"	6 1/2"	1,150#	
2,000	PM218-14	18'	14'	16"	7"	1,510#	
2,000	PM220-14	20'	14'	16"	7"	1,600#	
2,000	PM208-16	8'	16'	8"	5-1/4"	696#	
2,000	PM210-16	10'	16'	12"	6 1/2"	950#	
2,000	PM212-16	12'	16'	12"	6 1/2"	1,005#	
2,000	PM214-16	14'	16'	12"	6 1/2"	1,150#	
2,000	PM216-16	16'	16'	12"	6 1/2"	1,325#	
2,000	PM218-16	18'	16'	16"	7"	1,590#	
2,000	PM220-16	20'	16'	16"	7"	1,925#	

Contact sales for other heights and span lengths


NOTE:

- Includes (2) mounting plates and end stops. 7/8" diameter mounting bolts NOT included. Mounting is to be determined by others based on floor thickness and overhead structure to be mounted to. Bolts to be Grade 5 or better.





PM-Series Pillar Mounted Jib Crane 2 Ton Capacity



Capacity (Pounds)	Model	Span	Height Overall	Beam Height	Flange Width	Unit Weight	
4,000	PM408-10	8'	10'	12"	6 ½"	760#	
4,000	PM410-10	10'	10'	12"	6 ½"	850#	
4,000	PM412-10	12'	10'	16"	7"	1,135#	
4,000	PM414-10	14'	10'	16"	7"	1,220#	
4,000	PM416-10	16'	10'	21"	6 ½"	1,660#	
4,000	PM418-10	18'	10'	21"	6 ½"	1,790#	
4,000	PM420-10	20'	10'	21"	6 ½"	2,250#	
4,000	PM408-12	8'	12'	12"	6 ½"	780#	
4,000	PM410-12	10'	12'	12"	6 ½"	915#	
4,000	PM412-12	12'	12'	16"	7"	1,210#	
4,000	PM414-12	14'	12'	16"	7"	1,290#	
4,000	PM416-12	16'	12'	21"	6 ½"	1,750#	
4,000	PM418-12	18'	12'	21"	6 ½"	1,860#	
4,000	PM420-12	20'	12'	21"	6 ½"	2,345#	
4,000	PM408-14	8'	14'	12"	6 ½"	840#	
4,000	PM410-14	10'	14'	12"	6 ½"	1,050#	
4,000	PM412-14	12'	14'	16"	7"	1,270#	
4,000	PM414-14	14'	14'	16"	7"	1,585#	
4,000	PM416-14	16'	14'	21"	6 ½"	1,850#	
4,000	PM418-14	18'	14'	21"	6 ½"	1,980#	
4,000	PM420-14	20'	14'	21"	6 ½"	2,450#	
4,000	PM408-16	8'	16'	12"	6 ½"	905#	
4,000	PM410-16	10'	16'	12"	6 ½"	1,080#	
4,000	PM412-16	12'	16'	16"	7"	1,580#	
4,000	PM414-16	14'	16'	16"	7"	1,680#	
4,000	PM416-16	16'	16'	21"	6 ½"	1,950#	
4,000	PM418-16	18'	16'	21"	6 ½"	2,050#	
4,000	PM420-16	20'	16'	21"	6 ½"	2,590#	

Contact sales for other heights and span lengths

NOTE:

- Includes (2) mounting plates and end stops. 7/8" diameter mounting bolts NOT included. Mounting is to be determined by others based on floor thickness and overhead structure to be mounted to. Bolts to be Grade 5 or better.

